

Ladder Cable Tray - Weights, Lbs/Ft

Tray Width	Rung Spacing	ELL3	EHL4	ETL4	ELL6	ETL6	EHZ6	EHL6	D-EHL6	EHL8	D-EHL10
6"	6"	2.1	3.1	3.1	4.6	3.0	4.9	4.6	5.0	6.5	9.6
	9.25"	1.9	2.9	2.9	4.3	2.7	4.7	4.3	4.8	6.2	9.3
	12"	1.8	2.8	2.8	4.2	2.6	4.6	4.2	4.7	6.1	9.2
	18.5"	1.7	2.7	2.7	4.1	2.5	4.4	4.1	4.6	6.0	9.1
9"	6"	2.3	3.4	3.4	4.8	3.2	5.1	4.8	5.3	6.7	9.8
	9.25"	2.0	3.0	3.0	4.5	2.9	4.8	4.5	5.0	6.4	9.5
	12"	1.9	2.9	2.9	4.4	2.8	4.7	4.4	4.8	6.3	9.3
	18.5"	1.7	2.7	2.7	4.2	2.6	4.5	4.2	4.7	6.1	9.2
12"	6"	2.6	3.6	3.6	5.0	3.4	5.4	5.0	5.5	6.9	10.0
	9.25"	2.2	3.2	3.2	4.6	3.0	5.0	4.6	5.1	6.5	9.6
	12"	2.0	3.0	3.0	4.5	2.9	4.8	4.5	4.9	6.4	9.4
	18.5"	1.8	2.8	2.8	4.3	2.7	4.6	4.3	4.7	6.2	9.2
18"	6"	3.1	4.1	4.1	5.5	3.9	5.8	5.5	6.0	7.4	10.5
	9.25"	2.5	3.5	3.5	5.0	3.3	5.3	5.0	5.4	6.9	9.9
	12"	2.2	3.3	3.3	4.7	3.1	5.0	4.7	5.2	6.6	9.7
	18.5"	2.0	3.0	3.0	4.4	2.8	4.7	4.4	4.9	6.3	9.4
24"	6"	3.5	4.5	4.5	6.0	4.4	6.3	6.0	6.4	7.9	11.0
	9.25"	2.8	3.8	3.8	5.3	3.6	5.6	5.3	5.7	7.2	10.2
	12"	2.5	3.5	3.5	4.9	3.3	5.3	4.9	5.4	6.8	-
	18.5"	2.1	3.1	3.1	4.6	3.0	4.9	4.6	5.0	6.5	-
30"	6"	4.0	5.0	5.0	6.5	4.8	6.8	6.5	6.9	8.4	-
	9.25"	3.1	4.1	4.1	5.6	4.0	5.9	5.6	6.0	7.5	-
	12"	2.7	3.7	3.7	5.2	3.6	5.5	5.2	5.6	7.1	-
36"	6"	4.5	5.5	5.5	6.9	5.3	7.2	6.9	7.4	8.8	-
	9.25"	3.4	4.4	4.4	5.9	4.3	6.2	5.9	6.3	7.8	-
	12"	2.9	4.0	4.0	5.4	3.8	5.7	5.4	5.9	7.3	-

Values are applicable to all resin systems, where possible.